


Anhang 1:

Volumen [I]	D Durchm. [m]	L Länge [m]	ca. Gewicht [kg]	T Tiefe Aushebung (Sandunterkante)[m]	T(fertig) Sandoberkante Tankunterkante [m]
5.000	1,60	2,82	1300	2,90	2,70
7.000	1,60	3,74	1650	2,90	2,70
10.000	1,60	5,35	2190	2,90	2,70
16.000	1,60	8,57	3350	2,90	2,70
*20.000	2,00	6,96	3850	3,30	3,10
30.000	2,00	10,20	5540	3,30	3,10
50.000	2,00	16,50	7230	3,30	3,10

Volumen [I]	D Durchm. [m]	L Länge [m]	ca. Gewicht [kg]	T Tiefe Aushebung (Sandunterkante)[m]	T(fertig) Sandoberkante Tankunterkante [m]
20.000	2,50	4,50	4300	3,80	3,60
30.000	2,50	6,66	5800	3,80	3,60
40.000	2,50	8,80	7390	3,80	3,60
*50.000	2,50	10,80	8890	3,80	3,60

50.000	2,90	8,20	9640	4,20	4,00
80.000	2,90	12,75	14290	4,20	4,00
*100.000	2,90	15,95	17320	4,20	4,00

^{*}Standardgrößen



3 +43 (0)732/64 01 02office@neubauer-tank.atWWW.NEUBAUER-TANK.AT